

# New ISMS UI Overview

(ISMS : Integrated Security Management System)



***AddPac***

**AddPac Technology**


Sales and Marketing

# Contents

- Network Service Diagram
- New ISMS UI Overview
- UI Design (examples)



# Network Service Diagram





# New ISMS UI Overview

# New ISMS UI Main Features

- Dual Monitor Support for Smart DVR Viewer and ISMS UI
- MS-Window based Software Platform
- Intuitive Field Proven UI Design for Large Scale ISMS Installation
- MAP based Device Control Platform Support
- Overall System Status Monitoring Board Support
- Overall Alarm Display Support
- Overall Device Setup Support
- Unmanned Security Zone System Setup Support
- Dark and Black Design Concept




# UI Design & Examples

# Contents

- Login View, Main View
- ISMS Status Monitoring Board
- ISMS Status Monitoring Board Alarm Display
- Unmanned Security Zone ISMS Setup
- Alarm UI
- Device UI

# UI examples : Login





# ISMS Status Monitoring Board

- Unmanned Security Zone List Display
- Map based Intrusion Detection Sensor Display
- IP Camera List Display
- Alarm Status Display
- Paging Status Display
- Action Status Display
- SPK.& MIC Volume Control and Display
- Management Server Status Monitoring (CPU, Memory, etc)
- Streaming & Recording Server Status Monitoring
- Storage Server Status Monitoring

# ISMS Status Monitoring Board 1

Smart Security Manager      지역본부      172.16.30.169, 본부관리자 로그인      01:43 PM

상황판      무인관리소      장치      알람 240      작업      이력

무인관리소 정보

무인관리소

감지기 All ON      전체 무장

무인관리소

무인관리소      수원 무인관리소      침주 무인관리소

알람

출입      -      장치      카메라      -

침입      -      비상폰      -

시스템      60      센서      -

액션

alarm 멘트 액션      경고멘트 액션      알람음 액션

대문개폐      무장 ON      무장 OFF

경고방송

카메라

HIK      VAC카메라      군산 VAC      한화1      한화2

알람(60)

ID	시간	등급	분류	무인관리소	장치	메시지
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	한화1	장치가 연결이 끊어짐
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐
292...	2017-11-29 17:48:27	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐

방송


등록된 방송그룹이 없습니다.

지도 (무인관리소)

감지기

AIR1      DOOR1      MOTION1      VAC카메라

# ISMS Status Monitoring Board 2



# ISMS Status Monitoring Board (Alarm Display)

The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes the title, user information (172.16.30.169, 02:07 PM), and system icons. The main interface is divided into several sections:

- 무인관리소 정보 (Unmanned Control Room Info):** Shows '무인관리소' (Unmanned Control Room) with a '감지기 All ON' (All Detectors ON) status and '전체 무장' (Fully Armed) indicator.
- 무인관리소 (Unmanned Control Room):** Includes buttons for '무인관리소', '수원 무인관리소' (Source Unmanned Control Room), and '청주 무인관리소' (Cheongju Unmanned Control Room).
- 카메라 (Camera):** Lists 'HIK', 'VAC카메라', '군산 VAC', '한화1', and '한화2'.
- 알람 (60) (Alarm (60)):** A table showing recent alarm events.
 

ID	시간	등급	분류	무인관리소	장치	메시지
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	한화1	장치가 연결이 끊어짐
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐
292...	2017-11-29 17:48:27	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐
- 지도 (무인관리소) (Map (Unmanned Control Room)):** A floor plan diagram with sensor locations labeled S-1 through S-8. S-1, S-2, S-3, S-4, S-5, S-6, S-7, and S-8 are marked with green dots and labels.
- 감지기 (Detectors):** A section with buttons for 'AIR1', 'DOOR1', 'MOTION1', and 'VAC카메라'.



# Unmanned Security Zone Setup

# Unmanned Security Zone Setup UI Examples

- Unmanned Security Zone Setup
- IP Video Door Phone Setup
- Resource (Image, Media File) Setup
- IP Emergency Phone Setup
- Action Define at Event
- Automation Define at Event (Ex : Automatic Announcement)
- Security Arm Mode Define
- Data Backup
- Operation Setup
- MAP Setup
- IP Camera Registration

# Unmanned Security Zone Setup

Smart Security Manager

지역본부

172.16.30.169, 본부관리자 로그인 01:43 PM


상황판 무인관리소 장치 알람 241 작업 이력

검색

이름	그룹	지정분배서버	장치			알람			모드		보기
			카메라	허브	센서	출입	침입	시스템	보안 ...	운영 모드	
1 군산무인관리소	-	분배서버2	-	-	-	-	-	60	-	-	🔍
2 수원시	-	내부 분배서버	0/1	0/2	0/3	-	-	12	🔒	🟢	🔍
3 역삼동 사거리	-	내부 분배서버	-	-	-	-	-	15	-	-	🔍

페이지 1 / 1 전체: 3

# Unmanned Security Zone Setup ( IP Video Door Phone)






# Unmanned Security Zone Setup ( Resource : Image, Media)

The screenshot displays the 'Smart Security Manager' interface. The main title is '무인관리소' (Unmanned Security Zone). The left sidebar shows a navigation menu with '지역본부' (Regional Office) expanded, containing '무인관리소' (Unmanned Security Zone), '안산시' (Ansan City), and '화성시' (Hwaseong City). The main content area is titled '무인관리소 설정' (Unmanned Security Zone Settings) and includes tabs for '카메라' (Camera), '도어폰' (Doorphone), '비상폰' (Emergency Phone), '작업' (Work), '운영모드' (Operation Mode), '오토메이션' (Automation), '역선' (Reverse Line), '리소스' (Resource), '지도' (Map), and '유지보수' (Maintenance). The '리소스' (Resource) tab is active, showing a message: '무인관리소에 적용할 하나 또는 이상의 리소스를 정의합니다.' (Define one or more resources to be applied to the Unmanned Security Zone). Below this is a table listing resources:

이름	이미지	크기	업로드 시간	삭제
1 inoffice.png		3 KB	2017-09-26 17:54:09	
2 map_4.jpg		126 KB	2017-09-26 17:54:25	
3 nightguard.png		4 KB	2017-09-26 17:54:01	

# Unmanned Security Zone Setup ( IP Emergency Phone)




# Unmanned Security Zone Setup ( Action Define at Event )


The screenshot displays the 'Smart Security Manager' interface. The main title is '무인관리소' (Unmanned Security Zone). The left sidebar shows a navigation menu with '지역분부' (Area Division) expanded, containing '무인관리소' (Unmanned Security Zone), '안선시' (Anseon-si), and '화성시' (Hwaseong-si). The main content area is titled '무인관리소 설정' (Unmanned Security Zone Settings) and includes a '센서 제어기' (Sensor Controller) tab. Below this, there are tabs for '카메라' (Camera), '도어콘' (Door Con), '비상콘' (Emergency Con), '착입' (Insert), '운영모드' (Operation Mode), '오토메이션' (Automation), '액션' (Action), '리소스' (Resource), '지도' (Map), and '유치보수' (Maintenance). The '액션' (Action) tab is active, showing a table of actions. The table has columns for '이름' (Name), '장치 명령' (Device Command), '상황판' (Status Panel), '변경' (Change), and '삭제' (Delete). Three actions are listed:

이름	장치 명령	상황판	변경	삭제
1 alaw 멘트 액션	• 카메라 "undefined"을(를) 즉시 방송	✓	⚙	🗑
2 경고멘트 액션	• 카메라 "HIK"을(를) 즉시 방송	✓	⚙	🗑
3 알람음 액션	• 카메라 "undefined"을(를) 즉시 방송	✓	⚙	🗑


# Unmanned Security Zone Setup (Automation Define at Event)




# Unmanned Security Zone Setup ( Security Arm Mode Define)




# Unmanned Security Zone Setup (Data Backup)



# Unmanned Security Zone Setup (Operation)



# Unmanned Security Zone Setup (Operation List)



The screenshot displays the 'Smart Security Manager' interface. The top navigation bar includes the title 'Smart Security Manager', the current location '지역본부', and the user information '172.16.30.169, 본부관리자 로그인' along with the time '01:45 PM'. Below the navigation bar, there are several icons for '상황판', '무인관리소', '장치', '알림 243', '작업', and '이력'. The main content area features a table with the following data:

일련	이름	형식	무인관리소 유형	무인관리소	마지막 수행 시간
1	▶ 전체 무인관리소 무장	운영모드	수원시	수원시	2017-09-07 14:45:36
2	▶ 전체 무인관리소 무장 해제	운영모드	수원시		2017-09-07 16:43:55



# Unmanned Security Zone Setup (Operation List Pop-Up Window)

The screenshot displays the Smart Security Manager interface. At the top, the title bar reads "Smart Security Manager" and "지역본부". The main content area shows a table with two rows of operations. A pop-up window titled "완료" (Completed) is centered on the screen, displaying the message: "작업을 수행하였습니다. 전체 무인관리소 1 (성공:1, 실패:0)" (Completed the operation. All unmanned control stations 1 (Success:1, Failure:0)).


일련	이름	형식	무인관리소 유형	무인관리소	마지막 수행 시간
1	▶ 전체 무인관리소 무정	운영모드	수원시	수원시	2017-09-07 14:45:36
2	▶ 전체 무인관리소 무정 해제	운영모드	수원시		2017-09-07 16:43:55

완료


작업을 수행하였습니다.  
전체 무인관리소 1 (성공:1, 실패:0)

확인


# Unmanned Security Zone Setup ( Map Configuration)



# Unmanned Security Zone Setup ( Map Configuration : Fence Drawing )



# Unmanned Security Zone Setup ( Map Configuration : Fence Registration)



# Unmanned Security Zone Setup (IP Camera Registration)

The screenshot displays the 'Smart Security Manager' interface, specifically the '무인관리소' (Unmanned Security Zone) section. The interface includes a navigation menu on the left with options like '지역본부' (Regional Office) and '무인관리소' (Unmanned Security Zone). The main area shows a table of registered IP cameras with columns for name, model, IP address, size, frame, category, user, profile, and status. The table lists four cameras: HIK, VAC카메라, 관화1, and 관화2.

이름	모델명	IP 주소	사이즈	프레	대역폭	사용어부	프로파일	변경	삭제
▶ HIK	DS-2DE7220IW-AE	172.16.10.56	-	-	-	-	-	⚙️	🗑️
▶ VAC카메라	VAC500V_G2	172.16.2.50	-	-	-	-	-	⚙️	🗑️
▶ 관화1	XNP-6330RH	172.16.99.101	-	-	-	-	-	⚙️	🗑️
▶ 관화2	XNP-6330RH	172.16.99.131	-	-	-	-	-	⚙️	🗑️



# Alarm UI

# Alarm UI Examples

- Alarm Display
- Alarm Classification
- Alarm Pop-Up
- Alarm & Information History Display

# UI examples : Alarm Display



The screenshot shows the 'Smart Security Manager' interface for '지역본부' (Regional Office). The top navigation bar includes '상황판' (Dashboard), '무인관리스' (Unattended Alarm), '장치' (Device), '알람 242' (Alarm 242), '작업' (Task), and '이력' (History). Below the navigation bar, there are filters for '무인관리스' (Unattended Alarm), '등급' (Level), and '장치 이름' (Device Name). The main content area displays a table of alarm events with columns for ID, 시간 (Time), 등급 (Level), 분류 (Category), 무인관리스 (Unattended Alarm), 장치 (Device), and 메시지 (Message). The table contains 15 rows of data, all showing '모션 센서가 감지됨' (Motion sensor detected) for Samsung devices. The bottom of the interface shows pagination controls for '페이지 1 / 13' and a total count of '전체: 242'.

ID	시간	등급	분류	무인관리스	장치	메시지
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성캠	모션 센서가 감지됨



# UI examples : Alarm Classification

Smart Security Manager

지역본부

172.16.30.169, 본부관리자 로그인 01:45 PM

상황판 무인관리스 장치 알람 242 작업 이력

무인관리스: 등급: 장치 이름:

분류: 침입 안전 제어 시스템 관리 출입 방송 녹화

ID	시간	등급	분류	무인관리스	장치	메시지
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923246	2017-11-30 13:35:15	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성점	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성점	모션 센서가 감지됨

페이지 1 / 13 전체: 242

# UI examples : Alarm Pop-Up

The screenshot displays the Smart Security Manager interface. At the top, a dark grey header contains the title "Smart Security Manager" on the left, a notification bell icon with "알림 242" in the center, and the user information "172.16.30.169, 본부관리자 로그인 01:44 PM" on the right. Below the header, there are navigation tabs for "상황판", "무인관리소", and "장치". A search bar and a "작업" button are also visible. The main content area shows a table of alarm events. A pop-up notification box is overlaid on the table, displaying "모션 센서가 감지됨" (Motion sensor detected) with a timestamp of "삼성캠 - 2017-11-30 13:44:48". The table below has columns for ID, 시간 (Time), 등급 (Level), 분류 (Category), 무인관리소 (Location), 장치 (Device), and 메시지 (Message). The table contains 15 rows of data, all with the message "모션 센서가 감지됨".

ID	시간	등급	분류	무인관리소	장치	메시지
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923221	2017-11-30 13:20:04	알림	침입	수원시	삼성캠	모션 센서가 감지됨

# Alarm & Information History Display

Smart Security Manager 지역본부 172.16.30.169, 본부관리자 로그인 01:45 PM

상황판 무인관리소 장치 알람 244 작업 이력

이벤트 무인관리소: 기간: 최근 하루 등급: 장치 이름:

분류: 침입 안전 제어 시스템 관리 출입 방송 녹화

ID	시간	등급	분류	무인관리소	장치	메시지	조치사항
2923273	2017-11-30 13:45:35	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923272	2017-11-30 13:45:35	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923270	2017-11-30 13:45:23	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923269	2017-11-30 13:45:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923268	2017-11-30 13:45:15	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923267	2017-11-30 13:44:59	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923265	2017-11-30 13:44:40	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923264	2017-11-30 13:44:15	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923262	2017-11-30 13:43:29	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923261	2017-11-30 13:42:48	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨	

페이지 1 / 57 전체: 1121

# Alarm & Information History Display (Detail View)

The screenshot displays the Smart Security Manager interface. At the top, it shows the title 'Smart Security Manager' and the user '지역본부'. The main area contains a table of alarm history. A popup window titled '알림 - 삼성캠 (2017-11-30 13:45:35)' is open, showing details for a specific alarm.

ID	시간	등급	분류	무인관리소	장치	메시지
2923273	2017-11-30 13:45:35	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923269	2017-11-30 13:45:15	알림	침입	수원시		
2923266	2017-11-30 13:44:40	알림	침입	수원시		
2923263	2017-11-30 13:43:29	알림	침입	수원시		
2923260	2017-11-30 13:42:23	알림	침입	수원시		
2923257	2017-11-30 13:41:37	알림	침입	수원시		
2923254	2017-11-30 13:41:05	알림	침입	수원시		
2923251	2017-11-30 13:40:54	알림	침입	수원시		
2923248	2017-11-30 13:40:06	알림	침입	수원시		
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨

**알림 - 삼성캠 (2017-11-30 13:45:35)**

- 알림 ID: 2923273
- 원본 알림 ID: 2479210
- 시간: 2017-11-30 13:45:35
- 등급: 알림
- 분류: 침입
- 무인관리소: 수원시
- 장치: 삼성캠
- 메시지: 모션 센서가 감지됨
- 조치사항: [Redacted]

Buttons: 알림 확인, 닫기



# Device Display UI

# Device UI Examples

- IP Video Door Phone
- IP Emergency Phone
- Security Sensors
- ISMS for Unmanned Security Zone
- Streaming & Recording Server
- Storage Server
- IP Cameras
- Smart Sensor Hubs

# Device : IP Video Door Phone

The screenshot displays the Smart Security Manager web interface. At the top, the title 'Smart Security Manager' is visible on the left, and '지역본부' (Regional Office) is centered. The top right corner shows the IP address '172.16.30.169', the user '본부관리자 로그인' (Login as System Administrator), and the time '01:44 PM'. Below the title bar is a navigation menu with icons for '상황판' (Dashboard), '무인관리소' (Unmanned Control Room), '장치' (Device), '알람 241' (Alarm 241), '작업' (Task), and '이력' (Log). A secondary menu lists various device types: '영상처리장치' (Video Processing Unit), '저장분배서버' (Storage Distribution Server), '저장장치' (Storage Device), '허브' (Hub), '센서' (Sensor), '카메라' (Camera), '도어폰' (Door Phone), and '비상콘' (Emergency Con).

Below the navigation is a search bar with two dropdown menus for '항목 선택' (Item Selection) and '항목 선택' (Item Selection), along with search and refresh icons. The main content area features a table with the following data:

이름	무인관리소	모델명	IP 주소	접속해제시간	재시작	물래...
VAC	무인관리소	VAC	172.16.50.125	2017-10-23 11:25:16		

At the bottom of the interface, there is a pagination control showing '페이지 1 / 1' and a '전체: 1' (Total: 1) indicator.

# Device : IP Emergency Phone

Smart Security Manager 지역본부 172.16.30.169, 본부관리자 로그인 01:44 PM

상황판 무인관리소 장치 알림 241 작업 이력

영상처리장치 저장분배서버 저장장치 허브 센서 카메라 도어폰 비상문

이름	무인관리소	모델명	IP 주소	입력해제시간	제시력	필터...
EIP60_voice	수원시	AP-EIP60	172.17.10.222	2017-11-24 16:43:32		
권선구 권선로 545	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
권선구 수언로 84	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
영통구 광고중앙로 49	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 경수대로 776	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 광고산로 154	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 광고산로 97	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 서부로 2066	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 송정로 41	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 수성로 262	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 조원로 111	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 고동로 37	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 매산로 138	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 인계로 123	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 월곡로 22	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 장릉대로 210	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		

<< < | 페이지 1 / 1 | >> > > 전체: 16




# Device : Security Sensors

The screenshot shows the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리소', '장치', '알람 241', '작업', and '이력'. Below this, there are tabs for '영상처리장치', '저장분배서버', '저장장치', '허브', '센서', '카메라', '도어폰', and '비상폰'. The main content area displays a table of security sensors with columns for '이름', '무인관리소', '모델명', '등록', 'IP 주소', and '접속해제시간'.

이름	무인관리소	모델명	등록	IP 주소	접속해제시간
AIR1	무인관리소	AIR1	myHUB		2017-10-23 14:02:39
AIR_10	안산시	AIR	myHUB		2017-11-30 10:57:20
AIR_50	안산시	AIR	SAH50N		2017-11-30 10:57:20
DOOR1	무인관리소	DOOR1	myHUB		2017-10-23 14:02:39
MOTION1	무인관리소	MOTION1	myHUB		2017-10-23 14:02:39
SIREN1	무인관리소	SIREN1	myHUB		2017-10-23 14:02:39
SWITCH1	무인관리소	SWITCH1	myHUB		2017-10-23 14:02:39
VAC카메라	무인관리소	VAC600V_G2			2017-11-29 20:11:19
삼성경	안산시	SNP-6320RH			2017-11-30 10:57:20

At the bottom of the interface, there is a pagination control showing '페이지 1 / 1' and a total of '전체: 9' items.


# Device : ISMS for Unmanned Zone



The screenshot displays the 'Smart Security Manager' web interface. The main title is '지역본부' (Regional Office). The interface includes a navigation menu with options like '상황판', '무인관리소', '장치', '알림 241', '작업', and '이력'. Below the menu is a search bar and a table listing devices. The table has columns for '이름' (Name), '모델명' (Model Name), 'IP 주소' (IP Address), '접속해제시간' (Disconnection Time), and '재시작' (Restart). Three devices are listed: '무인관리소', '안산시', and '화성시', all with model 'AP-ISMS100'.

이름	모델명	IP 주소	접속해제시간	재시작
1 무인관리소	AP-ISMS100	172.16.30.167	2017-10-23 14:02:38	🔄
2 안산시	AP-ISMS100	172.16.30.162	2017-11-30 10:57:18	🔄
3 화성시	AP-ISMS100			🔄

# Device : Streaming & Recording Server



The screenshot shows the Smart Security Manager interface. At the top, it displays 'Smart Security Manager' and '지역본부' (Regional Office). The user is logged in as '본부관리자' (System Administrator) at '172.16.30.169' at '01:43 PM'. The interface includes a navigation menu with options like '상황판' (Dashboard), '무인관리스' (Unattended), '장치' (Devices), '알림 241' (Alerts 241), '작업' (Tasks), and '이력' (History). Below the menu, there are tabs for '영상처리장치' (Video Processing), '저장분배서버' (Storage Distribution Server), '저장장치' (Storage), '허브' (Hub), '센서' (Sensors), '카메라' (Cameras), '도어폰' (Doorphones), and '비상폰' (Emergency Phones). The main content area displays a table of servers with the following data:


이름	무인관리스	IP 주소	CPU	메모리	저장공간	재시작
1 내부 분배서버	• 안산시 • 화성시	172.16.30.169	1.3%	1.3 GB / 7.6 GB	116.2 GB / 289.3 GB	🔄
2 분배서버2	• 무인관리스	172.16.30.170	0.8%	301.0 MB / 3.4 GB	12.8 GB / 1.8 TB	🔄

# Device : Storage Server

The screenshot displays the 'Smart Security Manager' interface. At the top, the title 'Smart Security Manager' is on the left, and '지역본부' (Regional Office) is in the center. On the right, it shows the IP '172.16.30.169', the user '본부관리자 로그인', and the time '01:44 PM'. Below the title bar is a navigation menu with icons for '상황판' (Dashboard), '무인관리소' (Unattended Control Room), '장치' (Devices), '알람 241' (Alarms 241), '작업' (Tasks), and '이력' (History). The main menu includes '영상처리장치' (Video Processing Device), '저장분배서버' (Storage Distribution Server), '저장장치' (Storage Device), '허브' (Hub), '센서' (Sensor), '카메라' (Camera), '도어콘' (Door Lock), and '비상폰' (Emergency Phone). The main content area features a table with the following data:

이름	IP 주소	CPU	메모리	저장공간
1 ISMS100_162	172.16.30.162	0.9%	2.8 GB / 3.9 GB	43.5 GB / 5.5 TB
2 ISMS100_165	172.16.30.165	-	-	-
3 NAS #1	172.16.19.1	-	-	-
4 NAS #2	172.16.19.201	-	-	-
5 NAS #3	172.16.19.202	-	-	-

# Device : IP Camera



The screenshot shows the Smart Security Manager interface for a local area network (지역본부). The interface includes a navigation menu at the top with options like '상황판', '무인관리소', '장치', '알람 241', '작업', and '이력'. Below the navigation is a search bar and a list of devices. The device list is organized into categories: 무인관리소, 안산시, and 화성시. Each device entry includes a name, model, IP address, size, and various control icons.

이름	모델명	IP 주소	사이즈	프레...	대역폭	프로파일 ...	녹화 모드	녹화	일속해제시간	카메라...	재시작	웹...
무인관리소												
▶ HIK	DS-2DE722...	172.16.10.56		-						🔄	🔌	🌐
▶ VAC카메라	VAC50OV_G2	172.16.2.50		-								🌐
▶ VAC	VAC	172.16.9.55		-								🌐
▶ 민화1	XNP-6330RH	172.16.99.101		-								🌐
▶ 민화2	XNP-6330RH	172.16.99.131		-						🔄	🔌	🌐
안산시												
▶ VAC 카메라	VAC50	172.17.9.55		-						🔄	🔌	🌐
▶ test_camera1		172.16.30.99		-								🌐
▶ 외곽 카메라2		172.16.19.200		-								🌐
▶ 외곽 카메라3	VP300	172.16.19.201		-						🔄	🔌	🌐
화성시												
▶ 삼성캠	SNP-6320RH	172.16.54.189		-						🔄	🔌	🌐

# Device : IP Camera

The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The interface includes a top navigation bar with various system status icons and a main table listing connected devices. The table columns include '이름' (Name), '모델명' (Model Name), 'IP 주소' (IP Address), '사이즈' (Size), '프레...' (Frame...), '대역폭' (Bandwidth), '프로파일...' (Profile...), '녹화 모드' (Recording Mode), '녹화' (Recording), '접속해제시간' (Disconnection Time), '카메라...' (Camera...), '재시작' (Restart), and '알파...' (Alpha...). The table is organized into sections: '무연관리소' (Disconnected Management Station), '안산시' (Ansan City), and '화성시' (Hwaseong City). Each section contains a list of cameras with their respective details and control icons.

이름	모델명	IP 주소	사이즈	프레...	대역폭	프로파일...	녹화 모드	녹화	접속해제시간	카메라...	재시작	알파...
무연관리소												
HIK	DS-2DE722...	172.16.10.56										
mainStream		172.16.10.56	1920x1080	30	2048 kbps	실시간	꺼짐		2017-11-24 14.4...			
VAC카메라	VAC500V_G2	172.16.2.50										
VAC	VAC	172.16.9.55										
VAC		172.16.9.55	640x480	30	512 kbps	실시간	꺼짐		2017-10-23 11.2...			
원화1	XNP-6330RH	172.16.99.101										
D1		172.16.99.101	720x480	30	512 kbps	실시간	꺼짐		2017-11-29 20.1...			
PLUGINFREE		172.16.99.101	1280x720	20	2048 kbps	실시간	꺼짐		2017-11-29 20.1...			
RECORDING		172.16.99.101	1280x720	15	1024 kbps	실시간	꺼짐		2017-11-29 20.1...			
원화2	XNP-6330RH	172.16.99.131										
D1		172.16.99.131	720x480	30	512 kbps	실시간	꺼짐		2017-11-24 14.4...			
PLUGINFREE		172.16.99.131	1280x720	20	2048 kbps	실시간	꺼짐		2017-11-24 14.4...			
RECORDING		172.16.99.131	1280x720	15	1024 kbps	실시간	꺼짐		2017-11-24 14.4...			
안산시												
VAC 카메라	VAC50	172.17.9.55										
test_camera1		172.16.30.99										
외곽 카메라2		172.16.19.200										
외곽 카메라3	VP300	172.16.19.201										
화성시												

# Device : Sensor Hub

The screenshot shows the 'Smart Security Manager' interface with the '지역본부' (Regional Office) tab selected. The top navigation bar includes '상황판', '무인관리소', '장치', '알림 241', '작업', and '이력'. Below the navigation bar, there are search filters for '장류 선택' and '장종 선택'. The main content area displays a table of devices with columns for '이름', '모델명', 'IP 주소', '비전', '센서', '알림', '접속해제시간', '재시작', and '진단'.

이름	모델명	IP 주소	비전	센서	알림	접속해제시간	재시작	진단
안산시								
SAH50N	SAH50N_G2	172.17.50.51.60266	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
myHUB	SAH50NPC_G2	172.16.30.65:40148	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
무인관리소								
myHUB	SAH50NPC_G2	172.16.30.168.59...	8.50.027	5	-	2017-10-23 14:02:39		

# Device : Sensor Hub

The screenshot displays the Smart Security Manager interface. At the top, the title is "Smart Security Manager" and the current location is "지역본부". The user is logged in as "본부관리자" at "172.16.30.169" at "01:46 PM". The interface includes a navigation menu with options like "상황판", "무인관리소", "장치", "알람 246", "작업", and "이력". Below the menu, there are search and filter options. The main content is a table listing devices under two categories: "수입시" and "무인관리소".

이름	모델명	IP 주소	버전	센서	알람	전속해제시간	재시작	진단
SAH50N	SAH50N_G2	172.17.50.51:60266	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
AIR_50	AIR			-	-	2017-11-30 10:57:20		
myHUB	SAH50NPC_G2	172.16.30.65:40148	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
AIR_10	AIR			-	-	2017-11-30 10:57:20		
myHUB	SAH50NPC_G2	172.16.30.168:59...	8.50.027	5	-	2017-10-23 14:02:39		





# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail : [sales@addpac.com](mailto:sales@addpac.com)