



# AP-IP120

# BcN IP Phone

## High Performance IP Phone Solution

## Preliminary Product Overview

(Without notice, following described technical spec. can be changed)



# **AddPac**

## AddPac Technology

## Sales and Marketing

[www.addpac.com](http://www.addpac.com)

# Contents

## AP-IP120 IP Phone

- Product Overview
- Hardware Specification
- Software Service
- Audio & Voice Service and Features
- Network Service and Features
- Application Area
- Ordering Information


# Product Overview

## AP-IP120 IP Phone

- IP Phone Solution
- 12 Speed-Dial Key with Presence Indication Lamp
- Audio Broadcasting Solution
- High-performance Audio, and Voice Service
- Firmware Upgradeable Architecture
- VoIP Solution with Outstanding Network Service Capability
- Audio Privacy Protection


# Product Highlights

## AP-IP120 IP Phone



# Multimedia Service

AP-IP120 IP Phone



- APOS : AddPac Internetworking Operating System
- OSD : On- Screen Display
- EMS : Element Management System

# Hardware Specification

## AP-IP120 IP Phone

- **RISC+DSP Microprocessor Computing Power (Dual Processor Architecture)**
- **Optional PSTN Backup (FXO) Interface**
- **Optional PoE (Power over Ethernet)**
- **High quality Audio and Voice Interface**
  - Stereo Audio Input Connector
  - Stereo Audio Output Connector
- **Network Interface**
  - Two(2) 10/100Mbps Fast Ethernet
- **LCD Window : Graphic LCD (4 Line Text)**
- **12 Speed-Dial Key with Presence Indication LAMP**
- **Power Supply**
  - External Power Adaptor (5V, 2A)

# Hardware Specification


## AP-IP120 IP Phone

### Hardware Specifications

| AP-IP160 IP Phone           | Basic Specifications   |
|-----------------------------|--|
| CPU                         | RISC Microprocessor  |
| Ethernet Interface          | 2-Ports 10/100Mbps Ethernet Interface(RJ-45)                         |
| PSTN Backup Port (Optional) | 1-Port PSTN Backup Port(RJ-11)                                       |
| Flash Memory                | 4Mbyte High-speed Flash Memory                                       |
| Base Memory                 | 16Mbyte High-speed SDRAM   |
| Power Requirement           | External Power Supply Adaptor / VAC 110~220V, 50/60Hz, 10Watt(5V,2A) |
|                             | Power over Ethernet (option)   |
| Operating Temperature       | 0°C ~ 45°C (32 °F ~ 122°F)   |
| Storage Temperature         | -40°C ~ 85°C (-40°C ~ 185°F)   |
| Relative Humidity           | 5% ~ 95% (Non-condensing)  |
| Dimensions                  | H x W x D ( 70mm x 200mm x 210mm)                                    |
| Weight (g)                  | 1Kg  |

### Network interface Configurations


#### Back Side



# Software Service

## AP-IP120 IP Phone

- **Built-in AddPac APOS Internetworking Software**
  - Scalability, Functionality, and Stability Features
  - Audio Traffic QoS Control
- **Programmable Video, Audio, and Voice Services**
  - Audio, and Voice Codec
- **Firmware Upgradeable Architecture**
- **Industry Standard IP based Network Protocol Features**





# Audio & Voice Service and Features

## AP-IP120 IP Phone

- **Audio & Voice Networking Interface**
  - Audio Input/Output Port (2 x 3.5mm Stereo Female Connector)
- **VoIP based Signaling Protocol Support**
  - H.323, SIP Multiple Signaling Protocol Stack
  - H.323 Gateway, Gatekeeper Support
- **High-performance Audio & Voice Codec Support**
  - Line IN/OUT : G.726, G.711 Audio Codec, etc
- **Enhanced QoS Management Features for Voice Traffics**

# Network Service and Features

## AP-IP120 IP Phone

- **Network Managements**
  - Standard SNMP Agent (MIB v2) Support
  - Remote Management using Console, Telnet
  - Web based Management using HTTP Server Interface
- **Security Functions**
  - Standard & Extended IP Access List
  - Enable/Disable for Specific Network Protocols
  - Multi-level User Account Management
  - Auto-disconnect for Telnet/Console Sessions
  - PPP User Authentication Supports (PAP & CHAP)
- **Operation & Managements**
  - System Performance Analysis for Process, CPU, Connection Interface
  - Debugging, System Auditing, and Diagnostics Support
  - System Booting and Auto-rebooting with Watchdog Feature
  - System Managements with Data Logging
  - IP Traffic Statistics with Accounting

# Network Service and Features

## AP-IP120 IP Phone

- **Network Managements**
  - DHCP Server & Relay Functions
  - Network Address Translation (NAT) Function
  - Port Address Translation (PAT) Function
  - Transparent Bridging (IEEE Standard) Function
    - Spanning Tree Bridging Protocol Support
    - Remote Bridging Support
    - Concurrent Routing and Bridging Support
  - Cisco Style Command Line Interface (CLI)
  - Network time Protocol (NTP) Support

# Application Area


## AP-IP120 IP Phone

- IP-PBX IP Phone Terminal (SIP, H.323, etc)
- Audio Real-time Broadcasting
- Audio Conference (via IP-PBX)
- 3-party Audio Conference



# Standard IP-PBX Application

AP-IP120 IP Phone




**AddPac**

[www.addpac.com](http://www.addpac.com)


# Audio Conferencing (IPNext Built-In Audio MCU)

## AP-IP120 IP Phone



# 3-Party Audio Conferencing

AP-IP120 IP Phone



# Ordering Information

- **AP-IP120 IP Phone Hardware**
  - AP-IP120 IP Phone Main Body
  - RISC Microprocessor with Embedded DSP Architecture
  - LCD, Function KEY, Menu KEY
  - 12 Speed-Dial Key with Presence Indication LAMP
  - External 3.5mm Audio Input/Output
  - 2-ports 10/100Mbps Fast Ethernet
  - Optional FXO Interface Port for PSTN Backup
  - Optional PoE (Power over Ethernet)
  - Including Network Cable Set & Ext. Power Supply, etc.
- **Built-in APOS Internetworking Software for AP-IP120**
- **Including 1 Year Hardware Warranty**
- **Product Documents**
  - Install and Operation Guide (PDF)
- **Pricing**
  - AddPac Technology Regional Sales Manager
  - Authorized Sales and Marketing Representatives
  - Please Contact [www.addpac.com](http://www.addpac.com)





# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)