

# AP-MC5000 Video MCU

High-performance Multipoint Video Mixing Solution



AddPac

AddPac Technology

Sales and Marketing

www.addpac.com

## Contents

- Product Overview
- Hardware Specification
- Software Service
- Video Service and Features
- Audio Service and Features
- Network Service and Features
- Conference Service and Features
- Application Area
- Ordering Information





### **Product Overview**

- IP based Multipoint Audio/Video Mixing Solution
- Support Various Conference System Model
- Scalability and Flexibility
- High-performance Video, Audio, and Voice Service
- Firmware Upgradeable Architecture
- Video Solution with Outstanding Network Service Capability
- Audio/Video Privacy Protection



## **Product Highlights**

AP-MC5000 Video MCU

#### IP based Multipoint Audio/Video Mixing Solution

Multi-User/Multi-Session Video Conference Support

G.722,G.711/G.726/G.729/G.723.1 , etc, Audio Codec

Call Manager Function Included

APOS<sup>™</sup>Technology Multimedia Network Protocol

IP based Network Protocol & Video/Voice Traffic QoS



Various Conference System Model (Dial-out, Add-Hoc, Meet-me)

**Smart Multimedia Management Software Support** 

External MCU Mode Support (AddPac IPNext IP-PBX)

SIP, H.323 based VoIP Signaling

Broadband IP Networking With Dual 10/100/1000Mbps Gigabit Ethernet



High-end Video Codec H.263, MPEG-4,H.264



# Hardware Specification


- High Performance Computing Power
- Programmable Hardware Architecture
- Main Chassis
  - Network Interface
    - Two(2) 10/100/1000Mbps Gigabit Ethernet
    - One(1) RS-232C Console (RJ45)



**Power ON/OFF Switch** 




# Hardware Specification





## Software Service

- Built-in AddPac APOS Internetworking Software
  - Scalability, Functionality, and Stability Features
  - Video Traffic QoS Control
- Programmable Video, Audio, and Voice Services
  - Video Codes, Audio, and Voice Codec
- Firmware Upgradeable Architecture
- Function Support
- Industry Standard IP based Network Protocol Features
- SMM (Smart Multimedia Manager) Solution
  - Server and Client Architecture
  - Intel Pentium Machine with MS Window Server OS and MS-SQL



## Video Service and Features

- High-performance Video Codec Support
  - H.263, MPEG-4,H.264
- Powerful Image Resolution Support
  - QCIF(176x144), CIF(352x288), QVGA(320x240), and
    VGA(640x480), HD(1280x720), Full HD (1920x1080), etc
- Up to 30fps at with Full HD-Resolution(H.264)
- 256Kbps to 15Mbps Operating Video Traffic Bandwidth
- Rate Control for Video Traffic QoS
  - Ensuring Optimized Quality
  - Frame Rate with Limited Bandwidth
- High-end Error Resilient Against Various Packet Error



## Audio & Voice Service and Features

- VolP based Signaling Protocol Support
  - SIP, H.323\* based Signaling Protocol Stack
- High-performance Audio & Voice Codec Support
  - G.729.1, G.723.1, G.726, G.711, G.722 Audio Codec
- Enhanced QoS Management Features for Voice Traffics



## Network Service and Features (cont..)

AP-MC5000 Video MCU

#### Network Managements

- SNMPv2/SNMPv3 Support
- Standard & Enterprise SNMP MIB Support
- Web Based Management using HTTP/HTTPS
- Console / Telnet / Rlogin / SSH Interface

#### Security Functions

- Standard & Extended IP Access List
- HTTPS / SSH Interface
- Auto-disconnect Telnet/Console Session
- Access Control for Local Service (FTP/Telnet/HTTP.)
- Enable/Disable Network Services
- Multi-Level User Account Management



## **Network Service and Features**

AP-MC5000 Video MCU

#### Operation & Managements

- Configuration Backup & Restore for APOS Managements
- Use Multiple APOS<sup>™</sup> and Configuration
- Auto Upgrade via HTTP/HTTPS
- Debugging, System Auditing, and Diagnostics Support
- FTP/TFTP/Telnet/SSH Server and Client
- HTTP Server
- RADIUS Authentication / Account

#### Other Scalability Features

- Network time Protocol(NTP) Support
- Cisco Style Command Line Interface (CLI)
- DHCP Server & Relay Functions
- DNS Server





- Type of Conference
  - Meet-Me (Dial-In) Conference
    - Require that a range of directory numbers be allocated for exclusive use of the conference
  - Ad Hoc (On-Demand) Conference
    - using Conference and Join soft key
  - Scheduled Conference
    - Through compatible third-party scheduling applications
- View Mode Configuration




AP-MC5000 Video MCU

#### **Conference System Model**





AP-MC5000 Video MCU




15

## Conference Service and Features


AP-MC5000 Video MCU

## **Stand-alone MCU Model**



## AP-MC5000 Video MCU

Network Diagram for Video Conference



## Ordering Information

#### AP-MC5000 Video MCU Hardware

- AP-MC5000 Video MCU Main Body
- 2-port 10/100/1000Mbps Gigabit Ethernet and 1-port RS-232C Console(RJ45)
- Including Network Cable Set
- Built-in APOS Internetworking Software for AP-MC5000
- Including 1 Year Hardware Warranty
- Product Documents
  - Install and Operation Guide (PDF)
- Pricing
  - AddPac Technology Regional Sales Manager
  - Authorized Sales and Marketing Representatives
  - Please Contact www.addpac.com



# Thank you!

# AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

