

# Direct Call(Speed-Dial) Configuration



***AddPac***

**AddPac Technology**

Sales and Marketing


# Contents

- Network Diagram
  - Integrated Door Access Control and Call Control
  - Legacy PBX Environment
  - Legacy IP-PBX Environment
- Direct Call Configuration
  - Smart Web – Speed Dial
- DACS System Message Flow
  - Call Sending for Direct Call




# Network Diagram

## Integrated Door Access Control and Call Control




# Network Diagram

## Legacy PBX Environment



# Network Diagram

## Legacy IP-PBX Environment



# Direct Call Configuration

## Smart Web – Speed Dial(Direct Call)

**Smart Web Manager**  
www.addpac.com

**System**

- Language
- LAN Setup
- System Time
- Display Manager
- File Browser

**Call & Media**

- Server SIP
- Speed Dial**
- Group Dial
- VLC Configuration
- Media
- Simultaneous Call

**Door Access Control**

- Service Control
- Indoor Open Control
- User List
- Card List
- Card Registration
- Log

**Speed Dial**

Speed Button Type:  List  Table  Direct

Direct Call: Text  Dial

No.	Text	Default Image
1	<input type="text" value="grand stream"/>	
2	<input type="text" value="vp500 a"/>	
3	<input type="text" value="linphone"/>	
4	<input type="text"/>	
5	<input type="text"/>	
6	<input type="text"/>	<input type="text" value="Default Image"/>

**Information**

AddPac Technology  
Model : VAC50\_G2  
Type : Server-Client  
DACS : 172.17.114.20(4080)  
DACS Registration : Fail  
SIP : 172.17.114.20(5060)  
SIP Registration : Fail

**Description**


speed dial image, user,

**Speed Button Type**  
Setup the Speed Button Type  
List, Table(Button Map), Direct Call

**Direct Call**  
Able to use Direct Call on Menu Screen  
Text, Dial

# DACS System Message Flow

## Call Sending for Direct Call





# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)