



Asterisk Free-PBX

AP-VAC50

IP Video Door Phone

High Performance IP Video Door Phone Solution



AP-VAC50

SIP Interworking for Asterisk Free-PBX

AddPac

AddPac Technology


Sales and Marketing

www.addpac.com

Contents



- Asterisk Free-PBX Interworking Network Diagram
- Register to Asterisk Free-PBX
 - SIP Message Flow
 - Asterisk Free-PBX Add Extension
- Door Open by Other Terminal
 - Attendant
 - User

Network Diagram




SIP Register

AP-VAC50 Register to Asterisk Free-PBX



SIP Register

AP-VAC50 Register to Asterisk Free-PBX



SIP Register

AP-VAC50 Register to Asterisk Free-PBX

The screenshot displays the FreePBX Administration web interface in a Windows Internet Explorer browser window. The address bar shows the URL `http://172.17.216.216/admin/config.php`. The page title is "FreePBX Administration" and the version is "FreePBX 2.8.1.4 on 172.17.216.216". The user is logged in as "root".



The main content area is titled "Add SIP Extension" and contains the following configuration fields:

- Add Extension:**
 - User Extension:
 - Display Name:
 - CID Num Alias:
 - SIP Alias:
- Extension Options:**
 - Outbound CID:
 - Ring Time:
 - Call Forward Ring Time:
 - Outbound Concurrency Limit:
 - Call Waiting:
 - Internal Auto Answer:
 - Call Screening:
 - Pinless Dialing:
 - Emergency CID:
 - Queue State Detection:
- Assigned DID/CID:**
 - DID Description:

On the right side of the page, there is a language dropdown menu set to "English" and two buttons: "Add Extension" and "1000 <1000>". A large, faint watermark of a hand holding a phone receiver is visible in the background of the page.


SIP Message Flow

Door Open by Other Terminal - Attendant



SIP Message Flow

Door Open by Other Terminal - User





Thank you!

AddPac Technology Co., Ltd.
Tech. Solution

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail ts@addpac.com